



File Ref: NSW29259
Contact: Admin Clerk
Telephone: 02 9372 8312

Alexis Ong
TBEA Deyang Cable Co., LTD.
C/- Midland Metals Overseas Pte Ltd
Unit #12-04/05, 1 Kim Seng Promenade,
Great World City East Tower, Singapore 237994

Dear Sir/Madam

CERTIFICATE OF APPROVAL: NSW29259 AND MODIFICATION/S

Supply Flexible Cord

Please find enclosed a Certificate of Approval and addendum as sought by your application.

Articles of the approved type may now be marketed provided they are marked with the mark (or alternate approval marks) shown on the Certificate.

THE APPROVAL EXPIRES ON THE DATE SHOWN ON THE CERTIFICATE unless it is renewed, extended, suspended or cancelled.

Yours faithfully,

29 April 2024

For Secretary, Department of Customer Service



Certificate of Approval Declared Article

Pursuant to Section 16 (1) of the Gas and Electricity (Consumer Safety)
Act 2017

Certificate Number: NSW29259

Issued to:	TBEA Deyang Cable Co., LTD.		
Class of Article:	Supply Flexible Cord		
Description of Article:	Supply Flexible Cord (3-core, 0.75mm ² , all colours, PVC insulated and sheathed (V-90 / 5V-90), ordinary duty circular flexible cord.)		
Trade Name or Mark:	TBEA		
Ratings:	Volts: 250/440V Watts:	Amperes: Hertz:	Other Name Plate Particulars:
Type Reference Code:	F30075 3G0.75mm ²		
Examined for Compliance With:	AS/NZS 3191:2008		
Approval Mark:	Each electrical article of the abovementioned type shall be marked with Approval Number NSW29259 or approved alternate mark		
Date of Approval:	28/04/2024		
Approval Expires:	28/04/2029 <i>unless suspended, cancelled, renewed or extended</i>		
This certificate is issued subject to the article and approved modifications being maintained at the specification/s of the article examined at the time of approval.			



29 April 2024



On behalf of the Secretary, Department of Customer Service
For information regarding currency of this model approval, refer to the Fair Trading Website

ADDENDUM TO CERTIFICATE OF APPROVAL: NSW29259 Particulars of Modification(s)

1. Addition of the following 250/440V 3-core PVC insulated and sheathed (V-90 / 5V-90) ordinary duty circular flexible cords -

- (a) F3010 3G1.0mm²;
- (b) F3015 3G1.5mm²;
- (c) F3025 3G2.5mm².

2. Addition of the following 250/440V 2-core PVC insulated and sheathed (V-90 / 5V-90) ordinary duty circular flexible cords -

- (a) F20075 2x0.75mm²;
- (b) F2010 2x1.0mm²;
- (c) F2015 2x1.5mm²;
- (d) F2025 2x2.5mm².

This certificate will expire on 28/04/2029

Approved pursuant to Clause 15 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018:



29 April 2024

For Secretary, Department of Customer Service